

LIST OF REFERENCES

- Aboofazeli, R. and Lawrence, M.J. (1993) Investigations into the formation and characterization of phospholipid nanoemulsions: IPseudo-ternary phase diagrams of systems containing water lecithin–alcohol–isopropyl myristate, Int. J. Pharm., vol. 93: 161–175.
- Alkhatib, M.H., Albishi, H.M. and Mahassni, S.H (2012) Impact of Nanoparticles on Cancer Therapy, Tropical Journal of Pharmaceutical Research, vol. 11 (6): 1001-1011.
- Anand, P., Kunnumakara, A., Sundaram, C., Harikumar, K., Tharakan, S., Lai, O., Sung, B., and Aggarwal, B. (2008) Cancer is a preventable Disease that Requires Major Lifestyle Changes, Pharmaceutical Research, Vol. 25:2097-2116.
- Andree, H.A.M., Reutelingsperger, C.P., Hauptmann, R., Hemker, H.C., Hermens, W.T., Willems, G.M. (1990) Binding of vascular anticoagulant alpha (VAC alpha) to planar phospholipid bilayers, J Biol Chem, vol. 265: 4923-4928.
- Arias, J.L., Reddy, H., and Couvreur, P. (2011) Superior preclinical efficacy of gemcitabine developed as chitosan nanoparticulate system, Biomacromolecules, vol. 12: 97–104.
- Arsawang, U., Saengsawang, O., Rungrotmongkol, T., Sornmee, P., Wittayanarakul, K., Remsungnen, T. and Hannongbua, S. (2011) How do carbon nanotubes serve as carriers

for gemcitabine transport in a drug delivery system?, Journal of Molecular Graphics and Modelling, vol. 29: 591–596.

Bagwe, R.P., Kanicky, J.R., Palla, B.J, Patanjali, P.K. and Shah, D.O (2001) Improved drug delivery using microemulsions: rationale, recent progress, and new horizons, Critical Review in Therapeutic Drug Carrier Systems, vol. 18(1): 77-140.

Bawarski, W.E., Chidlow, E., Bharali, D.J. and Mousa, S.A. (2008) Emerging nanopharmaceuticals, Nanomedicine, vol. 4: 273-282.

Benbrook, D.M. and Long, A. (2012) Integration of autophagy, proteasomal, degradation, unfolded protein response and apoptosis, Experimental Oncology, vol. 34(3): 286–297.

Bulmus, V., Woodward, M., Lin, L., Murthy, N., Stayton, P. and Hoffman, A. (2003) A New pH-responsive and Glutathione-reactive, Endosomal Membrane-disruptive Polymeric Carrier for Intracellular Delivery of Biomolecular Drugs, Journal of Controlled Release, vol. 93: 105-120.

Cancercare, Lung Cancer 101, (New York: Cancercare, 2013).

Cao, C., Subhawong, T., Albert, J.M., Kim, K.W., Geng, L., Sekhar, K.R., Gi, Y.J., Lu, B. (2006) Inhibition of mammalian target of rapamycin or apoptotic pathway induces autophagy and radiosensitizes PTEN null prostate cancer cells, Cancer Res., vol. 66: 10040–7.

- Carlfors, J., Blute, I, and Schmidt, V. (1991) Lidocaine in nanoemulsion-a dermal delivery system, J. Disp. Sci. Technol, vol. 12: 467–482.
- Celano, M., Calvagno, M.G., Bulotta, S., Paolino, D., Arturi, F., Rotiroti, D., Filetti, S., Fresta, M. and Russo, D. (2004) Cytotoxic effects of Gemcitabine-loaded liposomes in human anaplastic thyroid carcinoma cells, BMC, vol. 4: 63-67.
- Chan, W.C. (2006) Bionanotechnology progress and advances, Biol Blood Marrow Transplant, vol. 12:87-91.
- Chen, N. and Karantza-Wadsworth, V. (2009) Role and regulation of autophagy in cancer, Biochim. Biophys. Acta., vol. 1793(9): 1516–1523.
- Chou, L.Y.T., Ming, K. and Chan, W.C.W (2011) Strategies for The Intracellular Delivery of Nanoparticles , Chem. Soc. Rev., vol. 40: 233-245.
- Clegg, A., Scott, D.A., Sidhu, M., Hewitson, P. and Waugh, N. (2001) A rapid and systematic review of the clinical effectiveness and costeffectiveness of paclitaxel, docetaxel, gemcitabine and vinorelbine in non-small-cell lung cancer, Health Technology Assessment, vol. 5(32).
- Constantinides, P.P. (1995) Lipid nanoemulsions for improving drug dissolution and oral absorption: physical and bio pharmaceutical aspects, Pharm. Res, vol. 12: 1561–1572.
- Cozzi, P. J., Bajorin, D. F., Tong, W., Nguyen, H., Scott, J., Heston, W. D. and Dalbagni, G. (1999) Toxicology and Pharmacokinetics of Intravesical Gemcitabine, Clinical Cancer Research, vol. 5: 2629–2637.
- Cruetz, C.E. (1992) The annexins and exocytosis, Science, vol. 258: 924-930.

Danielsson, I. and Lindman, B. (1981) The definition of a microemulsion, Colloids and Surfaces, vol. 3(4): 391–392.

Darzynkiewicz, Z., Juan, G., Li, X., Gorczyca, W., Murakami, T. and Traganos, F. (1997) Cytometry in cell necrobiology: analysis of apoptosis and accidental cell death (necrosis). Cytometry, vol. 27(1): 1-20.

Davies, J.T. (1957) "A quantitative kinetic theory of emulsion type I, Physical chemistry of the emulsifying agent," Gas/Liquid and Liquid/Liquid Interface, 2nd International Congress of Surface Activity, Butterworths, London 426-438.

Denlinger, C.E., Rundall, B.K., Keller, M.D. and Jones, D.R. (2004) Proteasome Inhibition Sensitizes Non–Small-Cell Lung Cancer to Gemcitabine-Induced Apoptosis, *Ann. Thorac. Surg.*, vol. 78: 1207-1214.

Devika, C.B., Ghazani, A., Chan, W. (2006) Determining the size and shape dependence of gold nanoparticle uptake into mammalian cells, Nano Lett., vol. 6: 662–668.

Eli Lilly and Company, Gemzar (Gemcitabine hydrochloride) injection, powder, lyophilized, for solution. (Indianapolis: Eli Lilly and Company, 2007).

Espina, V. Mariani, B.D., Gallagher, R.I., Tran, K., Banks, S., Wiedemann, J., Huryk, H., Mueller, C., Adamo, L., Deng, J., Petricoin III, E.F., Pastore, L., Menezes, G., Mize, J., Johal, J., Edmiston, K., Liotta, L.A. (2010) Malignant precursor cells pre-exist in human breast DCIS and require autophagy for survival, .PLOS ONE, vol. (5)4: e10240.

Galluzzi, L., Vitale, I., Abrams, J.M., Alnemr, E.S., Baehrecke, E.H., Blagosklonny, M.V., Dawson, T.M., Dawson, V.L., El-Deiry, W.S., Fulda, S., Gottlieb, E., Green, D.R., Hengartner, M.O., Kepp, O., Knight, R.A., S Kumar, S., SA Lipton, S.A., X Lu, X., Madeo, F., Malorni, W., Mehlen, P., Nun~ ez, G., Peter, M.E., Piacentini, M., Rubinsztein, D.C., Shi, Y., H-U Simon, H.U, Vandenabeele, P., White, E., Yuan, J., Zhivotovsky, B., Melino, G., and Kroemer, G (2012) Molecular definitions of cell death subroutines: recommendations of the Nomenclature Committee on Cell Death, Cell Death Differ., vol. 19: 107–120.

Garcia, M., Jemal, A., Ward, E.M., Center, M.M., Hao, Y., Siegel, R.L. and Thun, M.J. (2007) Global Cancer Facts & Figures. Atlanta, GA: American Cancer Society.

Gasco, M.R., Pattarino, F. and Lattanzi, F. (1990) Long-acting delivery systems for peptides: reduced plasma testosterone levels in male rats after a single injection, Int. J. Pharm., vol. 62: 119–123.

Gilman, A., Philips, F.S. (1946) The biological action and therapeutic application of beta-chloroethyl amines and sulfides, Science, vol. 103: 409–415.

[Glick, D.](#), [Barth, S.](#) and [Macleod, K.F.](#) (2010) Autophagy: cellular and molecular mechanisms, J. Pathol., vol. 221(1) :3-12.

Gratton, S.E.A., Napier, M.E., Ropp, P.A., Tian, S., Desimone, J.M. (2008a) Microfabricated particles for engineered drug therapies: elucidation into the mechanisms of cellular internalization of print particles, Pharm. Res., vol. 25: 2845–2852.

Gratton, S.E.A., Ropp, P.A., Pohlhaus, P.D., Luft, J.C., Madden, V.J., Napier, M.E. and DeSimone, J.M. (2008b) The effect of particle design on cellular internalization pathways, Proc. Natl. Acad. Sci., vol. 105 :11613–11618.

Griffin, W.C. (1949) Classification of Surface-Active Agents by HLB, Journal of the Society of Cosmetic Chemists, vol. 1: 311–326.

Griffin, W.C. (1954) Calculation of HLB Values of Non-Ionic Surfactants, Journal of the Society of Cosmetic Chemists, vol. 5: 249–256.

Gupta, N., Ahmed, I., Steinberg, H., Patel, D., Nissel-Horowitz, S. and Mehrotra, B. (2002) Gemcitabine-induced pulmonary toxicity: case report and review of the literature, Am J Clin Oncol, vol. 25: 96-100.

Hamman, J.H., Enslin, G.M. and Kotze, A.F. (2005) Oral delivery of peptide drugs: barriers and developments, BioDrugs, vol. 19: 165- 77.

Heron, J. F. (2009) Gemcitabine, http://www.oncoprof.net/Generale2000/g09-Chimiotherapie/Complements/g09-gb_comp37.html, viewed April 8, 2013.

Hobbs, S.K., Monsky, W.L., Yuan, F., Roberts, W.G., Griffith, L., Torchilin, V.P. and Jain, R.K. (1998) Regulation of transport pathways in tumor vessels: role of tumor type and microenvironment, Proc Natl Acad Sci, vol. 95: 4607-4612.

Hoar, T.P. and Schulman, J.H. (1943) Transparent water-in-oil dispersions: the oleopathic hydro-micelle, Nature, vol. 152: 102-103.

- Hodge, L.S., Taub, M.E. and Tracy, T.S. (2011) [Effect of its deaminated metabolite, 2',2'-difluorodeoxyuridine, on the transport and toxicity of gemcitabine in HeLa cells](#), Original Research Article, Biochemical Pharmacology, vol. 81(7): 950-956.
- Hoffman, A. S. (2008) The origins and evolution of “controlled” drug delivery systems, Journal of Controlled Release, vol. 132: 153–163.
- Hotchkiss, R., Stressor, A., McDunn, J. and Swanson, P. (2009) Mechanisms of disease, cell death. NEJM 2009; 361: 1570-1583.
- [Howington](#), J. (2008) The first Saudi lung cancer guidelines, Ann Thorac Med, vol. 3(4): 127.
- Jain, R. K. (1994). Barriers to drug-delivery in solid tumors, Sci. Am., vol. 271: 58–65.
- Johnson, D. G. and Walker, C. L. (1999) Cyclins and cell cycle checkpoints, Annu. Rev. Pharmacol. Toxicol., vol. 39: 295–312.
- Kantaria S., Rees, G.D. and Lawrence, M.J. (1999) Gelatin-stabilised nanoemulsion-based organogels: rheology and application in iontophoretic transdermal drug delivery, J. Control. Rel. vol. 60: 355–365.
- Kateb, B., Chiu, K., Yamamoto, V., Khalsa, B., Black, K.L., Ljubimova, J.Y., Ding, H., Patil, R., Portilla-Arias, J.A., Modo, M., Moore, D., Farahani, K., Okun, M., Prakash, N., Neman, J., Ahdoot, D., Grundfest, W., Nikzad, S. and Heiss, J. (2011) Nanoplatforms for constructing new approaches to cancer treatment, imaging, and drug delivery: What should be the policy?, NeuroImage, vol. 54: 106-124.

- Kibbe, A. H., Handbook of Pharmaceutical Excipients, 3rd ed., (London: Pharmaceutical Press, 2000).
- Kim, R., Emi, M., Tanabe, K., Uchida, Y. and Arihiro, K. (2006) The role of apoptotic or non apoptotic cell death in determining cellular response to anticancer treatment, EJSO, vol. 32: 269-277.
- Kim, K.W., Hwang, M., Moretti, L., Jaboin, J.J., Cha, Y.I. and Lu, B. (2008) Autophagy upregulation by inhibitors of caspase-3 and mTOR enhances radiotherapy in a mouse model of lung cancer, Autophagy, vol. 4: 659–68.
- Kurosaka, K., Takahashi, M., Watanabe, N. and Kobayashi, Y. (2003) Silent cleanup of very early apoptotic cells by macrophages, J. Immunol., vol. 171: 4672–4679.
- Lawrence, M.J. and Rees, G.D. (2000) Microemulsion-based media as novel drug delivery systems, Advanced Drug Delivery Reviews, vol. 45: 89–121.
- Lee, V.H.L. (1988) Enzymatic barriers to peptide and protein absorption, Crit. Rev Ther Drug Carrier Syst, vol. 5: 69–97.
- Levin, S., Bucci, T. J., Cohen, S. M., Fix, A. S., Hardisty, J. F., LeGrand, E. K., Maronpot, R. R., and Trump, B. F. (1999) The nomenclature of cell death: recommendations of an ad hoc Committee of the Society of Toxicologic Pathologists, Toxicol. Pathol., vol. 27: 484–490.
- Li, W., Yang, Q. and Mao, Z. (2011) Chaperone-mediated autophagy: machinery, regulation and biological consequences, Cell Mol. Life Sci., vol. 68: 749–763.

- Li, W.W., Li, J. and Bao, J.K. (2012) Microautophagy: lesser-known self-eating, Cell Mol. Life Sci., vol. 69: 1125–1136.
- Lorusso, V., Pollera, C. F., Antimi, M., Luporini, G., Gridelli, C., Frassineti, G. L., Oliva, C., Pacini, M., De Lena, M. (1998) A phase II study of gemcitabine in patients with transitional cell carcinoma of the urinary tract previously treated with platinum. Italian Cooperative Group on Bladder Cancer, Eur. J. Cancer, vol. 34: 1208—1212.
- Luo, Y. and Prestwich, G.D. (2002) Cancer-targeted polymeric drugs, Curr. Cancer Drug Targets. vol. 2: 209–226.
- Majno, G. and Joris, I. (1995) Apoptosis, oncosis, and necrosis, An overview of cell death, Am. J. Pathol., vol. 146: 3–15.
- Mamot, C., Drummond, D.C., Hong, K., Kirpotin, D.B., Park, J.W. (2003) Liposome-based approaches to overcome anticancer drug resistance, Drug Resist Update, vol. 6: 271 – 279.
- Martin, S.J., Reutelingsperger, C.P., McGahon, A.J., Rader, J.A., van Schie, R.C., LaFace, D.M and Green, D.R. (1995) Early redistribution of plasma membrane phosphatidylserine is a general feature of apoptosis regardless of the initiating stimulus: inhibition by overexpression of Bcl-2 and Abl, J. Exp. Med, vol. 182: 1545-1556.
- Mason, T., Matsumura, Y. and Maeda, H. (1986) A new concept for macromolecular therapeutics in cancer chemotherapy— Mechanism of tumorotropic accumulation of proteins and the antitumor agent smancs, Cancer Res., vol. 46: 6387–6392.

- Maurer-Fogy, I., Reutelingsperger, C.P.M., Pieters, J., Bodo, G., Stratowa, C. and Hauptmann, R. (1988) Cloning and expression of cDNA for human vascular anticoagulant, a Ca^{2+} -dependent phospholipid-binding protein, Eur. J. Biochem., vol. 174: 585-592.
- Metselaar, J.M., Mastrobattista, E. and Storm, G. (2002) Liposomes for intravenous drug targeting: design and applications, Mini Rev Med Chem, vol. 2: 319–329.
- Mitchell, D.J. and Ninham, B.W. (1981) Micelles, vesicles and microemulsions, J. Chem. Soc. Faraday. Trans. II, vol. 77: 601–629.
- Murdan, S., van den Bergh, B., Gregoriadis, G. and Florence, A.T. (1999) Water-in-sorbitan monostearate organogels (water-in-oil gels), J. Pharm. Sci., vol. 88:615–619.
- Nobs, L., Buchegger, F., Gurny, R. and Allemann, E. (2004) Current methods for attaching targeting ligands to liposomes and nanoparticles, J Pharm Sci, vol. 93: 1980-1992.
- Norbury, C. J., and Hickson, I. D. (2001) Cellular responses to DNA damage, Annu. Rev. Pharmacol. Toxicol., vol. 41: 367–401.
- Oeffinger, B.E., and Wheatley, M.A. (2004) Development and characterization of a nano-scale contrast agent, Ultrasonics, vol. 42: 343-347.
- Olla, M., Monduzzi, M. and Ambrosone, L. (1999) Microemulsions and emulsions in DDAB/ water/ oil systems, Colloids Surfaces A, Physicochem Eng. Aspects, vol. 160: 23–36.

Osborne, D.W., Middleton, C.A. and Rogers, R.L. (1988) Alcohol-free nanoemulsions, J. Dispersion SciTechnol, vol. 9: 415–423.

Patra, C.R., Bhattacharya, R., Wang, E., Katarya, A., Lau, J.S., Dutta, S., Muders, M., Wang, S., Buhrow, S.A., Safgren, S.L., Yaszemski, M.J., Reid, J.M., Ames, M.M., Mukherjee, P. and Mukhopadhyay, D. (2008) Targeted Delivery of Gemcitabine to Pancreatic Adenocarcinoma Using Cetuximab as a Targeting Agent, cancerres.aacrjournals, vol. 68(6): 1970-1978.

Pattingre, S., Tassa, A., Qu, X., [Garuti, R.](#), [Liang, X.H.](#), [Mizushima, N.](#), [Packer, M.](#), [Schneider, M.D.](#) and [Levine, B.](#) (2005) Bcl-2 antiapoptotic proteins inhibit Beclin 1-dependent autophagy, Cell, vol. 122: 927–39.

Pawar, R., Ben-Ari, A. and Domb, A.J. (2004) Protein and peptide parenteral controlled delivery, Expert Opin Biol Ther, vol. 4: 1203-1212.

Peer, D. and Margalit, R. (2006) Fluoxetine and reversal of multidrug resistance, Cancer Let., vol. 237: 180–187.

Reddy, L.H. and Couvreur, P. (2008) Novel approaches to deliver gemcitabine to cancers, Curr Pharm, vol. 14: 1124–1137.

Rees, G.D. and Robinson, B.H. (1995) Esterification reactions catalysed by *Chromobacterium viscosum* lipase in CTAB-based nanoemulsion systems, Biotechnol. Bioeng., vol. 45: 344–355.

Rez. G, Csak, J., Fellingner, E., Laszlo, L., Kovacs, A.L., Oliva, O. and Kovacs, J. (1996) Time Course of Vinblastine-Induced Autophagocytosis and Changes in the Endoplasmic Reticulum in Murine

Pancreatic Acinar Cells: A Morphometric and Biochemical Study, Europ. J. Cell Biol. Vol. 71: 341–350.

Rosen, L.C., Rosen, R., Petri, M., and Schlissel, M. (1996) Surface blebs on apoptotic cells are sites of enhanced procoagulant activity: Implications for coagulation events and antigenic spread in systemic lupus erythematosus, Proc. Natl. Acad. Sci., vol. 93: 1624-1629.

Rosen, M.J. and Kunjappu, J.T. (2012) Surfactants and Interfacial Phenomena, Fourth edition, New Jersey:Wiley.

Sarciaux, J.M., Acar, L. and Sado, P.A. (1995) Using microemulsion formulations for drug delivery of therapeutic peptides, Int. J. Pharm., vol. 120: 127–136.

Savill, J. and Fadok, V. (2000) Corpse clearance defines the meaning of cell death, Nature, vol. 407: 784–8.

Schulman, J.H., Stoeckenius, W. and Prince, L.M. (1959) Mechanism of formation and structure of micro emulsions by electron microscopy, J. Phys. Chem., vol. 63: 1677–1680.

Shewach, D. S. and Kuchta, R. D. (2009) Introduction to Cancer Chemotherapeutics. Chem Rev., vol. 109(7): 2859-2861.

Shinoda, K. and Lindman, B. (1987) Organised surfactant systems: microemulsions, Langmuir, vol. 3: 135–149.

Shore, S., Raraty, M., Ghaneh, P. and Neoptolemos, J. (2003) Chemotherapy for pancreatic cancer, Aliment. Pharmacol. Ther., vol. 18(11-12): 1049-1069.

Singh, R., Mehra, N.K., Jain, V. and Jain, N.K. (2013) Gemcitabine-loaded smart carbon nanotubes for effective targeting to cancer cells, J. Drug Target.

Skehan, P., Storeng, R., Scudiero, D., Monks, A., McMahon, J., Vistica, D., Warren, J.T., Bokesch, H., Kenney, S. and Boyd, M.R. (1990) New colorimetric cytotoxicity assay for anticancer-drug screening. J Natl Cancer Inst, vol. 82:1107–1112.

Soma, C.E., Dubernet, C., Bentolila, D., Benita, S. and Couvreur, P. (2000) Reversion of multidrug resistance by co-encapsulation of doxorubicin and cyclosporin A in polyalkylcyanoacrylate nanoparticles, Biomaterials, vol. 21: 1-7.

Stratton, M.R., Campbell, P.J. and Futreal, A. (2009) The cancer genome, Nature, vol. 458: 719-724.

Sterlacci, W., Tzankov, A., Veits, L., Oberaigner, W., Schmid, T., Hilbe, W. and Fiegl, M. (2011) The Prognostic Impact of Sex on Surgically Resected Non–Small Cell Lung Cancer Depends on Clinicopathologic Characteristics, Am J Clin Pathol, vol. 135: 611-618.

Stöppler, M.C. (2011) Lung cancer, from: http://www.medicinenet.com/lung_cancer/article.html, Access date, January 16, 2013.

Takahashi, T. (1986) Emulsion and activated carbon in cancer chemotherapy, Crit. Rev. Ther. Drug Carrier Syst., vol. 2: 245–274.

Tenjarla, S. (1999) Microemulsions: an overview and pharmaceutical applications, Critical Reviews in Therapeutic Drug Carrier Systems, vol. 16: 461–521.

Thurston, D. E. (2007) Chemistry and Pharmacology of Anticancer Drugs, CRC Press, Taylor and Francis Group, LLC; Boca Raton, FL: 2007.

Tsai, Y.H., Hsieh, Y.H., Huang, Y.B., Chang, J.S., Huang, C.T. and Wu, P.C. (2010), Microemulsions for Intravesical Delivery of Gemcitabine, Chem. Pharm. Bull, vol. 58(11): 1461—1465.

Vandana, M. and Sahoo, S.K. (2010) Long circulation and cytotoxicity of PEGylated gemcitabine and its potential for the treatment of pancreatic cancer, Original Research Article Biomaterials, vol. 31(35): 9340-9356.

Warisnoicharoen, W., Lansley, A.B. and Lawrence, M.J. (2000) Nonionic oil-in-water nanoemulsions: the effect of oil type on phase behaviour, Int. J. Pharm, vol. 198: 7–27.

Wei, Y., Sinha, S. and Levine, B. (2008) Dual role of JNK1-mediated phosphorylation of Bcl-2 in autophagy and apoptosis regulation, Autophagy, vol. 4: 949–951.

Whitesides, G.M. (2003) The 'right' size in nanobiotechnology, Nat Biotechnol, vol. 21: 1161- 5.

Wilkling, J., Meleson, K., Chang, C. and Graves, S. (2006) Nanoemulsions: formation, structure, and physical properties, J Phys: Condens Matter, vol. 18: 635–666.

Williams, D. (2004) Nanotechnology: a new look, Med Device Technol, vol. 15:9 - 10.

Willmann, H., Walde, P., Luisi, P.L., Gazzaniga, A. and Stroppolo, F. (1992) Lecithin organogels as matrix for transdermal transport of drugs, J. Pharm. Sci, vol. 81:871–874.

Wu, H.C., Chang, D.K. and Huang, C.T. (2006) Targeted Therapy for Cancer, Journal of Cancer Molecules, vol. 2(2): 57-66.

Yang, D., Yang, F., Hu, J., Long, J., Wang, C., Fu, D. and Ni, Q. (2009) Hydrophilic multi-walled carbon nanotubes decorated with magnetite nanoparticles as lymphatic targeted drug delivery vehicles, Chem. Commun., 4447-4449.

Yousefi, S., Perozzo, R., Schmid, I. [Ziemiecki, A.](#), [Schaffner, T.](#), [Scapozza, L.](#), [Brunner, T.](#) and [Simon, H.U.](#) (2006) Calpain-mediated cleavage of Atg5 switches autophagy to apoptosis, Nat Cell Biol, vol. 8: 1124–1132.

Yuan, Y., Li ,S., Mo, F. and Zhong, D. (2006) Investigation of microemulsion system for transdermal delivery of meloxicam, Int J Pharm., vol. 321: 117–123.

[Zhu, H.](#), [Zhou, H.](#) and [Wang, C.S.](#) (2011) Radiation-induced sarcoma in bronchial stump after thoracic radiation therapy for small-cell lung cancer, Journal of Cancer Research and Therapeutics, vol. 7(2): 198-200.